



**MINUTES OF THE
TOWN COUNCIL MEETING
November 19, 2020**

- I. Patrick J. Mahoney, Mayor, called the meeting to order at 7:00 p.m. In attendance remotely were Dr. Valerie Beaudin, Derek J. Favret, L. Charles Fink, Lawrence P. Jaworski, Gregory J. Morris, and Keith L. Pardieck, Council Members, Holly K. Wahl, Town Administrator, Sharon L. Humm, Town Clerk, Dale Clark, Town Treasurer, Todd Pounds, Town Attorney, James Berry, Public Works Manager, Wayne Newton, Acting Town Engineer, Connie O'Dell, Code Enforcement Officer, Marilyn VanWagner, Water Park General Manager, Jon Castro, WRTP Manager, and Lieutenant Hollinger.

- II. **Pledge of Allegiance.** The Mayor led the Pledge of Allegiance.

- III. **Approve the Agenda.**

MOTION: Councilwoman Beaudin moved to approve the agenda.
Seconded by Councilman Fink, all in favor.

- IV. **Public comment on any item on the agenda.** None

- V. **Approval of the minutes of the October 15, 2020 Town Council meeting.**

MOTION: Councilman Jaworski moved to approve the minutes of the October 15, 2020 Town Council meeting. Seconded by Councilman Morris, all in favor.

Approval of the minutes of the November 9, 2020 Work Session.

MOTION: Councilwoman Beaudin moved to approve the minutes of the November 9, 2020 Work Session. Seconded by Councilman Fink, all in favor.

- VI. **Petitions and Communications** –

- A. **Paul Doherty – Candidate for the Board of Appeals.** Mr. Doherty introduced and spoke briefly about himself and answered questions from the Council.
- B. **Election Results** - The Town Administrator stated the results of the Mayoral and Town Council Election.
- C. **Town Administrator's Report** – Mrs. Wahl submitted the attached written report and was present to address the Council. Mrs. Wahl reported that the 2021 Town calendar voting is on the website and the citizens can go on to vote for their favorite pictures. Also, Mrs. Wahl commented that due to COVID, the traditional gathering at town hall for the Light Up the Town will not take place in person but will be live streamed this year taking place on November 29th. There will be a number of ways for the citizens to participate in the festivities. Electronic messages will be sent out to the citizens with details. Mrs. Wahl gave an update

on the Highlands sewer/water expansion. Councilman Jaworski inquired about the possibility of solar panels in town.

- D. Public Works Report** – Mr. Berry submitted the attached written report and was present to address the Council's questions. Mr. Berry briefed the Council on the two current B Street projects. Councilman Jaworski had safety concerns regarding the missing railing along 261 at the marsh area. Mr. Berry will contact State Highway on this.
- E. Water Reclamation Treatment Plant Report** – Mr. Castro submitted the attached written report and addressed the Council's questions. Councilman Jaworski congratulated Mr. Castro and his staff for no reported spills with all the rain that we have had.
- F. Code Enforcement Report** – Mrs. O'Dell submitted the attached written report and was present to address the Council.
- G. Town Treasurer's Report** – Mr. Clark reported he anticipates reviewing the water park FY21 projections as well as the FY20 budget reconciliation during the December work session. Councilman Favret suggested reviewing the water park season as a whole along with the financials. Councilwoman Beaudin suggested revisiting all the budgets for potential impacts due to the COVID.
- H. Town Engineer Report** – Mr. Newton submitted the attached written report and was present to address the Council. Mr. Newton reported on the status of the Richfield Station HOA list of concerns and updated the Council on the 261 sidewalks. Moving forward, it was requested, that the Engineer's report include a current date for each item.
- I. Deputy's Report** – Sergeant Phelps submitted the attached written report. Lt. Hollinger was available to answer questions from the Council. Lt. Hollinger reported on the trespassing incidents and encouraged residents to call if they see something. Councilman Jaworski wanted to thank Sergeant Phelps for his all-day presence at the Town Election.
- J. North Beach Volunteer Fire Department** – The attached written report was submitted.
- K. Mayor' Report** – The Mayor took the opportunity to thank the Election Board, the election judges, the candidates, and the citizens in helping to make this a successful election this year. The Mayor wanted to echo Governor Hogan's plea for all citizens to take the COVID-19 seriously and wear your masks. The Mayor wished everyone a safe and Happy Thanksgiving.

VII. Resolutions & Ordinances:

- A. Resolution R-20-5, a resolution of the Town Council of Chesapeake Beach to have the Mayor and Town Council sworn in either virtually or in person.**

MOTION: Councilwoman Beaudin moved to approve Resolution R-20-5.
Seconded by Councilman Favret, all in favor.

VIII. Report of Officers, Boards and Committees:

- A. Planning & Zoning Commission** – A meeting was held October 28, 2020.
- B. Board of Appeals** – No hearing was held.
- C. Economic Development Committee** – Councilman Jaworski stated he attended another meeting on the Beach Elementary School replacement project last week and the planning of that is very exciting. Work continues with the Calvert County Economic Advisory committee to provide COVID assistance to our small businesses and residences as restrictions are increasing. Also attended a meeting of the North Beach Council and discussed with them about continuing working together for the two towns to improve the twin beaches.
- D. Twin Beaches Opioid Abuse Awareness Coalition** – Councilman Pardieck stated the group had not met since the last Council meeting but wanted to share some statistics. As of November 4th, Calvert County has 96 non-fatal overdoses with 19 fatal. The three hardest hit areas in the county are Chesapeake Beach zip code area with 15 non-fatal and 3 fatal, Prince Frederick zip code area with 14 non-fatal and 2 fatal and the Lusby zip code area at 26 non-fatal and 4 fatal. In the twin beaches, Chesapeake Beach is 8 non-fatal with 2 fatal and North Beach with 1 non-fatal and 1 fatal. The group will meet again on December 10th at 6 pm and welcomes folks to attend.
- E. Walkable Community Advisory Group** – Councilman Favret reported over the past month the group has been seeking public input through survey boards around town, the online survey and the public engagement session that was held. The survey is complete, and the response to everything was excellent. The information has been sent to the planning firm and the group will work with the firm to analyze the data and address any specific comments and hopes to present a plan to the Council in the coming months.

IX. Unfinished Business: None

X. New Business:

- 1. Council to approve the appointment of Paul Doherty to the Board of Appeals.

MOTION: Councilwoman Beaudin moved to approve the appointment of Paul Doherty to the Board of Appeals. Seconded y Councilman Pardieck, all in favor.

XI. Public comment was received by:

- 1. Mr. Montague of 6201 Norwood Road, Prince Frederick, MD was present to request discussion with the Town Council on the short-term vacation rentals and what the issues might be and how to work through them.
- 2. Joshua Johnson of 3814 26th Street spoke on the short-term rental issue as well.


3. Monique Lighthart of 7609 B Street also spoke on the short-term rentals and working with Council to discuss and resolve whatever issues there are.
4. Rick Brinkley of 3378 Cannoncade Court inquired as to the difference in a short-term rental and a bed and breakfast.

XII. Council Lightning Round:

1. Dr. Beaudin commented on the CBOCS report stating how incredible it was that the buoy that was planted in 2014, got lost in a storm, and has washed up on the rocks in North Beach after five years! She wished everyone a Happy Thanksgiving and to stay safe. She looks forward to continued conversations regarding the short-term rentals and the Bed and Breakfasts. On a somber note, she announced the untimely passing of the most recent president of the Twin Beach Players, Frank Antonio.
2. Mr. Fink thanked the public for their comments this evening in regards to the short-term rentals/bed and breakfast subject and encourages continued dialogue on the matter. Mr. Fink wanted to reiterate his appreciation for all the support he has received during this difficult time in his life, but wanted to also give a tip of the hat to all the folks at Calvert Hospice, who were absolutely outstanding. He wished everyone a safe and Happy Thanksgiving.
3. Mr. Jaworski wanted to first thank his colleagues for four years of support for our town and looks forward to another four years of getting things done. He also wanted to give a shout out to all the candidates that ran for the various offices and the timely removal of the campaign signs around town. Stay safe and Happy Thanksgiving.
4. Mr. Morris wanted to thank the public group tonight for their comments and wanted to follow up with saying that with their petition of 600 signatures, he feels they deserve Council discussion. Mr. Morris stated CBOCS is a tremendous program and feels it's a great example of the Town leading on green initiatives and just wanted to thank Mr. Bacon, Mr. Pardieck, and all the volunteers, and intends to support any budget they need. Mr. Morris wished everyone a memorable Thanksgiving, stay safe and stay positive.
5. Mr. Pardieck thanked the folks for their public comments tonight and looks forward to future discussions through the Council and Planning & Zoning, and also appreciated the support of the folks that came out to vote. Mr. Pardieck suggested, going forward, if Planning & Zoning and Green Team reports could be added to the Council agenda. Happy Thanksgiving, stay safe, and wear your masks.
6. Mr. Favret reiterated appreciation for the public comments tonight also. Mr. Favret stated he had the pleasure of speaking to the boys and girls of Scout Pack 903 of the western shore district. They asked a lot of great questions and were particularly interested in protecting the bay and the CBOCS program. He extended an invitation to them to attend a future meeting once we get back to live meetings. Mr. Favret stated the last four years went by quickly and looks forward to the next four, working with the Council and the residents to continue getting things done. Have a safe and Happy Thanksgiving.

XIII. Adjournment & Closed Session - Councilwoman Beaudin moved to close and adjourn the regular meeting at 8:15 pm under the Statutory Authority of the Md. Annotated Code, pursuant to General Provisions Article, §3-305(b), subsection (7) to consult with counsel to obtain legal advice pertaining to the Water Reclamation Treatment Plant. Seconded by Councilman Favret, all in favor.

Submitted by,


Sharon L. Humm,
Town Clerk

RESUME

Paul F. Doherty

pfdoherty@comcast.net

301-812-0272

Summary

Retired professional in the information technology and communications industry with over 35 years of experience in computer and communication system design, engineering management, project management, system engineering, and technical consulting to U.S. Federal clients. Able to think and operate at the macro- and micro- level. Accomplished technical writer. Detail oriented. Well versed in the Microsoft Office productivity suite. Military veteran.

Education

American University, Washington, DC	Master of Science in Information Systems
University of Central Florida, Orlando, FL Engineering	Bachelor of Science in Electrical
Boston College, Boston MA	Bachelor of Science in Biology

Employment History

2015 – Present Chesapeake Station HOA Board of Directors

Member of the HOA Board, holding various Officer positions from time to time of Vice President, Secretary, and Treasurer.

2018 – Present H&R Block

Seasonal tax preparer. Prepare and file tax returns for H&R Block clients ranging in complexity from simple individual returns to sole-proprietor businesses.

1998 – 2013 IBM Corporation

Engaged in a variety of projects for the development, enhancement, extension, replacement, and transformation of IT-based mission capabilities for U.S. Federal Agencies. Performed in a client facing role providing System Engineering and IT Architecture consulting services. Most of this work was performed on client sites.

1990 – 1998 Harris Corporation

System Engineer and Task Manager on a multi-year project to transform a collection of disparate technical capabilities at multiple client sites into a unified, service-based IT architecture that made flexible, adaptive, multi-use Mission capabilities available to users.

Also, performed the dual roles of Program Manager and System Engineer on a variety of programs and business pursuits for telecommunications, video/audiographic teleconferencing, office automation, and Intelligence/Surveillance/Reconnaissance/Electronic Counter Measures systems.

1985 – 1990 Raytheon Corporation

Program Manager and System Engineer in the pursuit of business opportunities and completion of technical design and trade studies.

Department Manager responsible for the management and direction of a staff of 10-40 electronics engineers, technicians, and support specialists engaged in equipment design and development, maintenance, and technical services on a variety of client projects. Responsible for the technical, cost, and schedule performance of department projects, internal budget administration, staffing, and career development, technology development, and assisting Marketing and Program Management in development of new business.

1974 – 1985 Harris Corporation

Design engineer for communications and computer equipment and systems, project leader, and supervisor on client system applications. Responsibilities also included specification, source identification, statement of work development, subcontractor proposal evaluation, and procurement of various vendor products and subsystems required for client programs.

Concurrently with these technical assignments, performed for three years as a supervisor of 6-8 engineers and technicians, with responsibility for task supervision, performance appraisals, and career development of personnel.

Also participated as a team member on a number of competitive proposal efforts and technical studies for the design or upgrade of various large client systems. These assignments required the ability to develop architectural and design approaches, technical plans and implementation approaches, execution schedules, cost estimates, and manpower plans.

Prior to obtaining BSEE degree, was a deployed Field Engineer on a contract to operate a large U.S. Dept of Defense communication site. Other responsibilities included depot-level repair of equipment and technical monitoring of the construction of equipment van shelters at a vendor facility.

1967 – 1973 U. S. Navy

Operated US Navy communication systems and supervised a 7-man unit at various sites around the world.

48 Hr Updated Election Results (11/4/2020)

Votes for Mayor Candidates				Winner
Candidate	Polling Place DS-200	Absentee DS-200	Provisional (by Hand)	Total
Patrick J. "Irish" Mahoney	449	420		869 ★
Stewart B. Cumbo	215	140		355

Votes for Town Council Candidates				Winner
Candidate	Polling Place DS-200	Absentee DS-200	Provisional (by Hand)	Total
Valerie L. Beaudin	466	430		896 ★
Derek Favret	436	457		893 ★
Greg Morris	434	350		784 ★
Lawrence Jaworski	349	418		767 ★
Keith Pardieck	342	364		706 ★
Charlie Fink	324	363		687 ★
Jonathan Evans	294	276		570
Gary W. Curzi	142	141		283

Votes for Ballot Questions				Winner
Question 1. ... full casino gambling licenses (table gaming, casino slots, etc.) ...				
No	493	490		983 ★
Yes	180	104		284

Question 2. ... sports betting licenses (i.e. sports betting, off-track racing, etc.) ...				
No	452	449		901 ★
Yes	221	145		366

Randall Getman

Randall Getman
Town Chesapeake Beach
Board of Elections

Margaret Hartman

Margaret Hartman
Town Chesapeake Beach
Board of Elections

Certification of Results	
Total Votes Cast	1280
Polling Place Ballots (DS-200)	673
Absentee Ballots (DS-200) Counted	597
Provisional Ballots (by Hand) Not Counted	10

Absentee Ballots (AB)	
AB Applications	640
AB Envelopes Received	601
AB Votes Counted	597
AB Rejected (Unable to identify voter)	2
AB to Provisional	2

Provisional Ballots (PB)	
PB Received	8
AB Treated as PB	2

Dominique Soroka

Dominique Soroka
Town Chesapeake Beach
Board of Elections



Town Administrators Report – November 2020

I. UPCOMING REQUESTS FOR PROPOSALS:

1. **Richfield Station Water Tower Painting:** this is a FY21 budgeted project that includes the painting of the Richfield Station water tower. Pricing options will include an option of branding the water tower as additional pricing for Council consideration.
2. **Town Hall HVAC upgrade:** this is a FY21 budgeted project that includes addressing outdated, inefficient and no longer supported HVAC systems in Town Hall.

II. TOWN ASSETS:

Bayfront Park: No restrooms are available due to the “off- season”. Trash continues to be collected by Department of Public Works staff on Mondays, Wednesdays, Fridays and directly after holidays. If residents see concerns we ask that you take a picture and send it to Town Hall at info@chesapeakebeachmd.gov or call (410)257-2230.

III. OPERATIONAL UPDATES/COMMUNITY ENGAGEMENT:

Walkable Communities Engagement: The Town received over 100 survey responses from Town residents on the Draft Walkable Community Plan so far. The Town website received over 500 views of the Draft Plan. The Public Engagement session had over 50 attendees and the recording of the session was viewed by 100 viewers. The Top projects, by resident votes, are #10, #2, #12, #13, #11.

2021 Town Calendar Voting: It's time to vote on your favorite Town picture to be included in the 2021 Town Calendar. Voting is linked [here](#) and on our Town website. Voting is available until November 22nd.





Town Administrators Report – November 2020

IV. LIGHT UP THE TOWN & BARBARA “JO” FINCH BRIGHTEST BEACON AWARDS:

The Mayor and Town Council are planning to the lights “ON” in Town on November 29th at 5:00 PM. The lighting display will be “**live streamed**” on the Towns YouTube Channel There will be many of ways Town citizens can participate this year to include:

- A virtual lighting display tour with resident voting available for their favorite Brightest Beacon Awards.
- Map of the best routes to take through Town to view the displays.
- The Town is coordinating with the Chesapeake Beach Railway Museum to capture the audio of the normal ride around Town lighting tour to pair the recording with drone footage of the Town’s lighting display for residents to share with their friends and families.
- Other activities to safely involve our local youth are being coordinated and will be released as soon as complete.

V. VIRTUAL TOWN HALL:

All meetings of the Mayor and Town Council and other public bodies continue to be conducted virtually with public participation available via dial in or web. All meetings are recorded and are available for view via the Town [You Tube Channel](#), also linked on the Town website. Public participation continues to be available via web and dial in.

VI. TOWN PERMITS:

Permit #	Address	Improvement
2020-78	2989 Heritage Drive	New Single-Family Dwelling
2020-77	2985 Heritage Drive	New Single-Family Dwelling
2020-62	7319 B Street	Deck extension with outdoor grill
2020-71	4016 28 th St	Bed n Breakfast
2020-68	4021 17 th St	Bed n Breakfast
2020-69	3443 Silverton Lane	Deck
2020-70	3151 Lawrin Ct	In ground pool
2020-75	2976 Heritage Drive	Single Family Dwelling
2020-76	2980 Heritage Drive	Single Family Dwelling
2020-79	8397 Legacy Circle	Single Family Dwelling
2020-80	2998 Heritage Drive	Single Family Dwelling
2020-81	2968 Heritage Drive	Single Family Dwelling
2020-74	2972 Heritage Drive	Single Family Dwelling
2020-75	7509 B Street	Removal of a tree



Town Administrators Report – November 2020

VII. GREEN INITIATIVES:

- **Buffer Gardens:** The Green team has created native gardens near Town Hall to impact stormwater runoff. Several other areas within the public space have been identified for planting of the DNR native plants purchased by the Town.
- **LED Lighting Upgrades:** The Town has started LED lighting upgrades for the exterior of Town Hall and is currently reviewing pricing to upgrade all Kellam's field lighting to LED.
- **Electronic Vehicle (EV) Car Charging Stations:** EV car charging stations continue to move forward. Permits have been submitted and we expect work to start soon.



Water Park Report

Marilyn VanWagner, General Manager Water Park
November 19, 2020

Staffing:

Final interviews are scheduled to be conducted virtually over the Thanksgiving weekend for the 2021 Aquatics Management Team. Once selected, the leads will be enrolled in the proper training classes.

Maintenance:

Some of the priorities that were recently completed are:

- Selected the 40 chairs in the worst shape to prepare for re-strapping.
- Rented a scissors lift (fixed the white slide support beam, hung decorative boat, adjusted some of the lights, fixed/sealed a few rocks as needed).
- Pump Room Winterized.

Some of the priorities in the next 30 days are:

- Replace the pump room door and fix the concrete in the surrounding area.
- Take down all signs for proper storage.
- Deep Clean the indoor Grille including but not limited to all equipment, floor, etc.
- Clean and tarp/winterize the Grille Outside.

Season Passes:

Season Passes for the 2021 season will be available on our website next week, <http://chesapeakebeachwaterpark.com/>. We are offering our traditional Early Bird Discount for Holiday Gift Giving. In the 2021 Season, all Season Pass Holders will continue to receive a 20% Discount on all food, beverages, and merchandise.

2021 Seasonal Employment Opportunities:

All available positions for the 2021 Season will be available on our website in early December. All interested applicants can go to our website, <http://chesapeakebeachwaterpark.com/employment>, to sign up to attend the orientation for the position of their choice.



Public Works Administrator's Report

To: Mayor & Town Council

From: James Berry

Subject: Public Works Report

Date: November 19, 2020

Water leak-. We had a watermain failure on Stream Walkway that has been repaired.

Wet wells- there is still one more dri-prime to be serviced and Curtis engine will PM the generators now.

Water meter/MXU- We are still changing out old outside pits as needed at this time.

Flushing- 99% of the flushing is complete currently. We have a couple end of the line blow offs to finish this cycle

Ball fields – There have been several events held at the field. With COVID on the rise, I am not sure of future events.

Railway Trail – We continue to keep up with leaves and sticks. Please clean up after your pets.

Water park – Public Works has worked with the Water park technician to complete several known issues and will now only assist when needed.

The Heritage – The model home is complete. Phase 2 water and sewer line installation is now underway, and I am visiting the site daily. (nothing new to report)

Emergency calls – We have had 7 emergency calls since our last meeting. We responded to 2 of those calls. Both for water leaks, one was a homeowner, and one was the Towns.



To: Mayor & Town Council

From: Jon Castro

Subject: Water Reclamation Plant Report

Date: November 19, 2020

The Water Reclamation Plant has implemented new COVID-19 operations following all Federal, State, County, and Town's Mayor and Council Guidelines to control the spread of the virus. All safety protocols were reviewed, and changes were made to current SOP's to operators' procedures in handling daily operations at the Plant. All safety gear will be worn and continuing cleaning of everything will be done daily. The inventory of Safety supplies, Janitorial supplies and Office supplies, Chemicals, Lab supplies, Diesel fuel for Generator, Maintenance supplies and spare parts for Equipment and repairs were set up for a 6 months' supply. The staff began a new rotation shift on April 6th. Two employee crews will alternate each week. The supervisors will use a rotation of every other week. This will help to limit exposure and maintain good health of staff. All normal plant operations will remain the same until further notice. Security procedures were enhanced to monitor all entry into the plant and record all deliveries or scheduled work. Contingency Plans are set up as changes occur for control of COVID-19.

The Plant Superintendent and the Town Administrator have been interviewing applicants for filling two vacant positions. The best applicants for these positions will be offered the jobs and hopefully accepted. They should begin work at the end of November or December.

The plant staff is moving forward in getting quotes on fixing the problem of by-passing the Influent Wet Well in order to clean the Wet Well of Rags and Grit. Quotes are coming in and this should be brought to the Mayor and Council in the December Town work session.

There were 2 PO's costs over \$5,000.00 but not over the threshold limit of \$10,000.00 for budget purchases this month. One PO was to Coyne Chemical for PACL at a cost of \$11,697.00 and the other PO was to Coyne also for Methanol for a cost of \$9,450.00.

Plant Staff did use the surge tank three times for this report period. On Oct. 21st and Oct. 22nd, the surge tank was used to control flow to #1 Clarifier. Clarifier #2 was in the process of taken offline for maintenance. This caused high flows to Filters. Clarifier #2 was placed back online. On Oct. 29th, and Nov. 12th, the surge tank was used due to Tropical Storm Zeta and Eta. These storms caused heavy flows into the plant.

There were 13 alarm calls for this November report. Twelve alarms were for RAS pump #3 and #2 clogging from rags and leaves and losing its prime. Many options were tried to prevent the RAS Pumps from clogging but cleaning the pumps before the staff would leave for the day seemed to get it under control. Future options for these pumps are being reviewed to correct the clogging. The other alarm was for a high Filter due to the Clarifier maintenance procedure. All alarms were responded to and corrected.



There were no incidents to report in the plant's Solids and Handling Operation. The Lab Sampling Operation is performing a DOC performance testing on an IDEXX Fecal Coliform test method. Once this is completed MDE will approve the procedure for this Lab. Old Line Inc. was sold to Synagro in May of 2019. A new contract was signed with Old Line/Synagro in August 2019 after rebidding the Solids Hauling Contract in June 2019.

The Wastewater Treatment Plant had no spills and 1 Filter Bypasses to report for this November report. The Bypass was on Oct. 29th, to Nov. 1st, during the Tropical Storm Zeta which caused heavy flows into The plant. All testing and protocols were followed and reported to MDE.

Future Projects:

To complete working out the problem areas in the ENR Upgrade Construction. The projects noted in the Capital Projects request are also in progress to be completed within the completion date of the plant's present budget year or within two years after the ENR Upgrade.



Code Enforcement Case Detail Report

Report Criteria:

Status	Priority	Violation Status	Assigned To	Violation	Property Type	CDBG Eligibility	Open Date Range	Follow up Date Range	Close Date Range	Initiation Type
All Closed	All	All	All	All	All	All	From To	From To	From 10/10/2020 To 11/13/2020	

Report Details

Case #	<u>Case #</u>	<u>Status</u>	<u>Violation(s)</u>	<u>Priority</u>	<u>Street Number</u>	<u>Street Direction</u>	<u>Street Name</u>	<u>Street Type</u>	<u>Unit</u>	<u>Zip</u>	<u>APN</u>	<u>Initiation</u>	<u>Open Date</u>	<u>Follow Up Date</u>	<u>Assigned To</u>
CE20-81		Closed: Voluntary Compliance	Sign Ordinance - Closed	Medium	7117		Chesapeake Village	Blvd		20732		Complaint	10/14/2020	10/20/2020	O'Dell, Connie
CE20-78		Closed: Voluntary Compliance	Property Maintenance - Sanitary Maintenance - Grass - Closed	Medium	4010		15TH	St		20732	0503096858	Self-Initiated	10/09/2020	11/10/2020	O'Dell, Connie
CE20-72		Closed: Voluntary Compliance	Property Maintenance - Sanitary Maintenance - Grass - Closed	Medium	3820		27TH	St		20732	0503048144	Self-Initiated	09/17/2020	11/10/2020	O'Dell, Connie
CE20-46		Closed: Voluntary Compliance	Property Maintenance - Sanitary Maintenance - Grass - Closed	Medium	3808		29TH	St		20732	0503074471	Self-Initiated	06/19/2020	11/10/2020	O'Dell, Connie

Number of Cases: 4



Code Enforcement Summary Report

Report Criteria:

Status	Assigned To	Census Tract	Violation	Initiation	Open Date Range	Follow up Date Range	Close Date Range
All Open	All		All	All	From 01/01/2020 To 11/13/2020	From To	From To

CE Totals

	Total	Closed Cases	Open Cases
Totals	15	0	15

CE Cases by Employee

Employee	Total	Closed Cases	Open Cases
O'Dell, Connie	15	0	15
Totals	15	0	15

CE Cases by Violation

Violation	Total Violations	Closed Violations	Open Violations
110-15: Steep Slope Construction on or Adjacent to	0	0	0
115-3 Dangerous Buildings - Failure to Comply	0	0	0
200-6 Violations and penalties for Property Maintenance	0	0	0
Fence Over 42"	0	0	0
Foreclosure	0	0	0
Global Stability Analysis/Storm Drain/Stormwater Mgmt Plan Required	0	0	0
Minimum Housing Standards - Broken or Defective Windows and Door Openings	0	0	0
Minimum Housing Standards - Condition of the Premises A (3)	0	0	0
Minimum Housing Standards - Exterior Structure B (1)	0	0	0
Minimum Housing Standards - Exterior Structure B (2)	0	0	0
Minimum Housing Standards - Exterior Structure B (3)	0	0	0
Minimum Housing Standards - Exterior Structure B (5)	0	0	0
Minimum Housing Standards - Exterior Structure B (9)	0	0	0
Operating a licensed recreational vehicle on public highways	0	0	0
Operating a RV on private property	0	0	0
Operating a short term rental	2	0	2

Operating an unlicensed recreational vehicle on public highways	0	0	0
Operating Restrictions of Recreation Vehicles	0	0	0
Overflow of ground water, public water or sewer	0	0	0
Pool Fencing - Missing or Non-Compliant	0	0	0
Prohibited Animals	0	0	0
Prohibited Parking	2	0	2
Property Maintenance - Minimum Maintenance Requirements	0	0	0
Property Maintenance - Minimum Maintenance Requirements (B)	0	0	0
Property Maintenance - Sanitary Maintenance - Garbage, Trash & Debris	2	0	2
Property Maintenance - Sanitary Maintenance - Grass	5	0	5
Property Maintenance - Sanitary Maintenance - Nuisance, Health or Fire Hazard	1	0	1
Property Maintenance - Sanitary Maintenance - Rodents	1	0	1
Property Maintenance - Sanitary Maintenance - Vehicles	2	0	2
Sanitary Maintenance	0	0	0
Sewer is Backed Up	0	0	0
Sewer/Water Manual Violation	0	0	0
Sign Ordinance	0	0	0
Waste/Sewer Back Up	0	0	0
Zoning Infraction	3	0	3
Zoning Permit Required	4	1	3
Totals	22	1	21



Code Enforcement Summary Report

Report Criteria:

Status	Assigned To	Census Tract	Violation	Initiation	Open Date Range	Follow up Date Range	Close Date Range
All Closed	All		All	All	From To	From To	From 10/10/2020 To 11/13/2020

CE Totals

	Total	Closed Cases	Open Cases
Totals	4	4	0

CE Cases by Employee

Employee	Total	Closed Cases	Open Cases
O'Dell, Connie	4	4	0
Totals	4	4	0

CE Cases by Violation

Violation	Total Violations	Closed Violations	Open Violations
110-15: Steep Slope Construction on or Adjacent to	0	0	0
115-3 Dangerous Buildings - Failure to Comply	0	0	0
200-6 Violations and penalties for Property Maintenance	0	0	0
Fence Over 42"	0	0	0
Foreclosure	0	0	0
Global Stability Analysis/Storm Drain/Stormwater Mgmt Plan Required	0	0	0
Minimum Housing Standards - Broken or Defective Windows and Door Openings	0	0	0
Minimum Housing Standards - Condition of the Premises A (3)	0	0	0
Minimum Housing Standards - Exterior Structure B (1)	0	0	0
Minimum Housing Standards - Exterior Structure B (2)	0	0	0
Minimum Housing Standards - Exterior Structure B (3)	0	0	0
Minimum Housing Standards - Exterior Structure B (5)	0	0	0
Minimum Housing Standards - Exterior Structure B (9)	0	0	0
Operating a licensed recreational vehicle on public highways	0	0	0
Operating a RV on private property	0	0	0
Operating a short term rental	0	0	0

Operating an unlicensed recreational vehicle on public highways	0	0	0
Operating Restrictions of Recreation Vehicles	0	0	0
Overflow of ground water, public water or sewer	0	0	0
Pool Fencing - Missing or Non-Compliant	0	0	0
Prohibited Animals	0	0	0
Prohibited Parking	0	0	0
Property Maintenance - Minimum Maintenance Requirements	0	0	0
Property Maintenance - Minimum Maintenance Requirements (B)	0	0	0
Property Maintenance - Sanitary Maintenance - Garbage, Trash & Debris	0	0	0
Property Maintenance - Sanitary Maintenance - Grass	3	3	0
Property Maintenance - Sanitary Maintenance - Nuisance, Health or Fire Hazard	0	0	0
Property Maintenance - Sanitary Maintenance - Rodents	0	0	0
Property Maintenance - Sanitary Maintenance - Vehicles	0	0	0
Sanitary Maintenance	0	0	0
Sewer is Backed Up	0	0	0
Sewer/Water Manual Violation	0	0	0
Sign Ordinance	1	1	0
Waste/Sewer Back Up	0	0	0
Zoning Infraction	0	0	0
Zoning Permit Required	0	0	0
Totals	4	4	0



Code Enforcement Case Detail Report

Report Criteria:

Status	Priority	Violation Status	Assigned To	Violation	Property Type	CDBG Eligibility	Open Date Range	Follow up Date Range	Close Date Range	Initiation Type
All Open	All	All	O'Dell, Connie	All	All	All	From To	From To	From To	

Report Details

Case#	eFM Case#	Status	Violation(s)	Priority	Street Number	Street Direction	Street Name	Street Type	Unit	Zip	APN	Initiation	Open Date	Follow Up Date	Assigned To
CE20-83		Verbal Warning Given	Property Maintenance - Sanitary Maintenance - Vehicles - Open	Medium	3723	E	CHESAPEAKE BEACH	Rd		20732	0503046885	Self-Initiated	11/13/2020	11/30/2020	O'Dell, Connie
CE20-82		Complaint Filed	Property Maintenance - Sanitary Maintenance - Grass - Open	Medium	8207		ELM			20732	0503155153	Complaint	11/13/2020	11/30/2020	O'Dell, Connie
CE20-80		Verbal Warning Given	Zoning Infraction - Open	Medium	8131		BAYVIEW HILLS	Dr		20732	0503130509	Complaint	10/14/2020	11/30/2020	O'Dell, Connie
CE20-79		Inspection	Prohibited Parking - Open Property Maintenance - Sanitary Maintenance - Garbage, Trash & Debris - Open Property Maintenance - Sanitary Maintenance - Grass - Open	Medium	3812		19TH	St		20732	0503065812	Self-Initiated	10/09/2020	12/07/2020	O'Dell, Connie
CE20-77		Verbal Warning Given	Property Maintenance - Sanitary Maintenance - Grass - Open	Medium	8730		BAYSIDE	Rd		20732	0503070514	Self-Initiated	10/05/2020	12/07/2020	O'Dell, Connie
CE20-76		Verbal Warning Given	Property Maintenance - Sanitary Maintenance - Grass - Open	Medium	7405		WOODSHIRE	Ave		20732	0503064778	Self-Initiated	09/30/2020	12/07/2020	O'Dell, Connie
CE20-75		Stop Work Order	Zoning Infraction - Open Zoning Permit Required - Open	Medium	8359		AUTUMN OAKS	Ct		20732	0503173054	Complaint	09/25/2020	11/20/2020	O'Dell, Connie
CE20-70		Inspection	Property Maintenance - Sanitary Maintenance - Grass - Open Property Maintenance - Sanitary Maintenance - Nuisance, Health or Fire Hazard - Open Property Maintenance - Sanitary Maintenance - Rodents - Open	Medium	3916		26TH	St		20732	0503048063	Self-Initiated	09/11/2020	12/07/2020	O'Dell, Connie
CE20-63		Inspection	Operating a short term rental - Open	Medium	3702		CHESAPEAKE BEACH	Rd		20732	0503044734	Self-Initiated	08/14/2020	12/10/2020	O'Dell, Connie
CE20-60		Verbal Warning	Property Maintenance -	Medium	8256		D	St		20732	0503048403	Self-Initiated	08/06/2020	12/07/2020	O'Dell, Connie

	Given	Sanitary Maintenance - Garbage, Trash & Debris - Open										
CE20-53	Inspection	Operating a short term rental - Open	Medium	4016	28TH	St	20732	0503042758	Self-Initiated	07/30/2020	11/20/2020	O'Dell, Connie
CE20-48	Verbal Warning Given	Property Maintenance - Sanitary Maintenance - Vehicles - Open	Medium	3925	GORDON STINNETT	Ave	20732		Self-Initiated	07/01/2020	12/07/2020	O'Dell, Connie
CE20-36	Administrative Citation Issued	Prohibited Parking - Open Zoning Permit Required - Open	Medium	8216	F	St	20732		Self-Initiated	05/21/2020	11/30/2020	O'Dell, Connie
CE20-28	Administrative Citation Issued	Zoning Permit Required - Closed Zoning Infraction - Open	Medium	4011	27TH	St	20732	0503042464	Self-Initiated	05/05/2020	11/30/2020	O'Dell, Connie
CE20-14	Verbal Warning Given	Zoning Permit Required - Open	Medium	3915	16TH	St	20732	0503084795	Complaint	02/19/2020	12/11/2020	O'Dell, Connie
CE19-91	Inspection	Property Maintenance - Sanitary Maintenance - Vehicles - Closed Property Maintenance - Sanitary Maintenance - Garbage, Trash & Debris - Open Sanitary Maintenance - Open Property Maintenance - Minimum Maintenance Requirements - Open	Medium	7524	C	St	20732	0503070557	Self-Initiated	11/14/2019	12/07/2020	O'Dell, Connie
CE19-74	Inspection	Foreclosure - Open Property Maintenance - Sanitary Maintenance - Vehicles - Closed	Medium	7331	WOODSHIRE	Ave	20732	0503064727	Self-Initiated	09/12/2019	12/07/2020	O'Dell, Connie
CE19-72	Inspection	Property Maintenance - Sanitary Maintenance - Grass - Open Property Maintenance - Sanitary Maintenance - Garbage, Trash & Debris - Open	Medium	7626	C	St	20732	0503067939	Complaint	09/04/2019	12/07/2020	O'Dell, Connie
CE19-67	Notice of Violation Given	Sign Ordinance - Open	Medium	4160	MEARS	Ave	20732	0503085635	Self-Initiated	08/21/2019	12/16/2020	O'Dell, Connie
CE19-23	Administrative Citation Issued	110-15: Steep Slope Construction on or Adjacent to - Open	Medium		Delores	Ct	20732		Complaint	04/10/2019	12/07/2020	O'Dell, Connie
CE19-17	Inspection	Zoning Permit Required - Closed Global Stability Analysis/Storm Drain/Stormwater Mgmt Plan Required - Open	High	7340	G	St	20732	0503095037	Complaint	03/22/2019	12/07/2020	O'Dell, Connie
CE18-76	Inspection	Property Maintenance - Sanitary Maintenance - Garbage, Trash & Debris - Open Property Maintenance - Sanitary	Medium	2541	SHADY OAK	Ct	20732	0503174379	Complaint	10/19/2018	12/07/2020	O'Dell, Connie

11/13/2020

Chesapeake Beach, MD: Code Enforcement Case Detail Report

		Maintenance - Vehicles - Open											
		Property Maintenance - Sanitary Maintenance - Nuisance, Health or Fire Hazard - Open Property Maintenance - Minimum Maintenance Requirements (B) - Open 200-6 Violations and penalties for											
CE18- 10	Inspection	Property Maintenance - Open Property Maintenance - Sanitary Maintenance - Grass - Open 115-3 Dangerous Buildings - Failure to Comply - Open Foreclosure - Closed 115-3 Dangerous Buildings - Failure to Comply - Open	High	7636	BAYSIDE	Rd	20732	0503068315	Self- Initiated	05/18/2018	11/18/2020	O'Dell, Connie	

Number of Cases: 23



Rental Registration Case by Status Report

Report Criteria:

Case Open From To Case Close From To

Report Details:

<i>Status</i>	<i># of cases with this status</i>
Application received	1
Application reviewed - need more info	0
Inspections in progress	25
Waiting on License Fee	42
License Current	20
License Expired	0
Declaration of Ineligibility	0
Closed: Expired - Will not renew	0
Notification Process	101
Closed	9
Re-Inspection	18
Total Cases	216

Town of Chesapeake Beach

Engineer's Report 11-12-20

From: Messick Group, Inc (MGI)
Wayne A. Newton, P.E

A transitional meeting was held on February 27, 2020 to review projects and transition responsibility going forward from Paul Woodburn to Wayne Newton of the below projects. A brief description of each project and upcoming action items are below:

Fishing Creek Dredging:

Action: Waiting for Dredge Work to Begin. MGI met with DNR at the site to discuss hauling material to the Kellam Field area and also met virtually with USACOE to discuss timing. USACOE is looking at a spring start at the earliest. MGI preparing draft plan and budget to submit grant application to move dredge spoil material out of the DMP site and use it to fill Kellam's Field. Received soil testing data from USACOE following up with independent testing of material to determine if the material is suitable for placing on the field.

MGI submitted Grant Application for funding to remove prior dredge spoil from DMP to make room for the USACOE dredge material. Waiting for review and working on design of haul out sediment controls and re-usability.

Kellams Marina:

Action: MGI to review project closeout as requested.

Richfield Station:

Action: MGI received follow up estimates from Roepke in reference to value of remaining work to be completed on each PWA. MGI to review.

MGI approved whole house plans and emailed to McCrone. Waiting for PWA submittal

261 Sidewalks:

Action: MGI to followed up with BAI on sidewalk project. According to latest SHA comments, we do not believe the additional design work is needed or at least to the level previously proposed. Waiting to hear back from BAI.

Heritage:

Action: MGI to continue in-field construction monitoring as requested.

Pump Station plans approved and emailed to McCrone. Waiting for PWA review.

Kellams Field:

Action: MGI surveyed the field and park area and coordinated our topographic shots with Jay Berry to help define the sinking. Jay & Wayne met on site to review poor drainage conditions and backed up water, potentially caused by differential settlement in the storm drain system. Survey base map completed 5/15.

Received prior survey info from Paul to compare elevations. Paul's work was centered on the marina with very little info in the field area. MGI located common points with prior survey to compare elevations. Exhibit to be sent showing differential elevations. 2020 elevations are between 0.83 & 1.0' lower than the prior survey.

Prepared concept plan for the renovation and refurbishing of the tot lot into an adult exercise and child's play area. Will move forward to create biddable plans for Winter bidding season.

Richfield Tower:

Action: Received Pittsburg Tank & Tower Group assessment of the tank. MGI sending draft of the RFP for exterior painting, including containment system to protect adjacent properties to Jay for review.

Rod N Reel:

Action: MGI prepared an exhibit to be attached to an agreement to record the limits of the Town's maintenance responsibilities and forwarded the plan to Paul Woodburn for Rod n Reel Review. Waiting for response.

Highlands Sewer Study:

Action: MGI to assist with preparing grant application for BRF funding assistance. Grant application's acceptance period begins 12/1/2020. Draft of grant application being prepared.

Wesley Stinnett Water Study:

Action: MGI created a preliminary alignment map to serve the Wesley Stinnett Dr community with Town Water. The preliminary water extension alignment and Cost estimate complete. Water system capacity needs to be reviewed. Grant/loan applications acceptance period begins 12/1/2020.

Fishing Creek Wet Well:

Action: MGI to review needed improvements to prevent inundation by sea level rise and repair the existing facilities and create a concept design as well as budget for a future capital project.

Town Hall HVAC Replacement

Action: MGI working with Diversified Engineering to prepare plans and specs for replacement of 3 HVAC units in Town Hall, including new provisions for access to maintain the units. Plans completed. Bid docs to be put out to bid in December 2020 for winter bidding season.

WWTP UV Protection RFP

Action: MGI working with Jon Castro to develop and RFP to design the Launder Covers for UV protection at the Waste Water Treatment Plant.

Additional Miscellaneous Items:

- Water & Sewer Master Plan Review
- Walkable Communities Sidewalk Plan review
- SHA Sidewalk from Chesapeake Village to Beach Elementary School – assist Jay as needed
- Harbor Vista North – Waiting for resubmittal
- Steep Slopes Ordinance (B Street)



CALVERT COUNTY SHERIFF'S OFFICE TWIN BEACHES PATROL

Date: November 11, 2020
To: Sharon Humm
From: Sergeant Thomas S. Phelps
Re: Sheriff's Office Report-Chesapeake Beach

In October of 2020, the Sheriff's Office handled 271 calls for service in Chesapeake Beach. This is up from 251 calls in September of 2020.

Call Breakdown for October of 2020:

118 calls were self-initiated (patrol checks, follow-up investigations, etc)

153 calls were received by other means (citizens, alarm companies, etc)

Of the 271 calls, we handled:

- 2 CDS Violations
 - 1 Xanax (Closed by Arrest)
 - 1 Subutex (Closed by Arrest)
- 3 Thefts
 - Political Sign – Richfield Station (Under Investigation)
 - Bike – Bayfront Park (Under Investigation)
 - Trailer Tag – 18th St (Under Investigation)
- 1 Marijuana Civil Violation
- 3 DUI
- 3 Assault Arrests
- 2 Trespassing Arrests
- 1 Violation of Protective Order Arrest
- 1 Disorderly Arrest
- 1 Indecent Exposure Arrest

October 2020 Calls for Service Chesapeake Beach

Call Type	Month	Year	Call Type	Month	Year	Call Type	Month	Year
911 Hang Up	20	210	Fireworks Complaint	0	7	Relay	1	3
Abandoned Vehicle	0	9	Follow Up	6	72	Robbery	0	1
Accident	9	88	Found Property	0	13	Search Warrant	0	3
Alarm	6	80	Fraud	2	18	Sexual Assault	0	0
Alcohol Violation	0	2	Harassment	0	13	Sex Offender Registry	0	0
Animal Complaint	0	30	Illegal Dumping	0	0	Special Assignment	1	21
Assault	1	8	Industrial Accident	0	0	Stalking	0	5
Assist Motorist	7	54	Indecent Exposure	1	6	Stolen Vehicle	0	3
Assist Other Dept	2	33	Intoxicated Person	0	6	Summons Service	2	38
Assist Sick/Injured	1	51	Kidnapping/Abduction	0	1	Suspicious Person	2	56
Attempt to Locate	14	74	Loitering	0	3	Suspicious Vehicle	3	63
Burglary	0	15	Lost Property	0	3	Tampering with MV	0	17
CDS Violation	1	9	Loud Party/ Music	3	27	Telephone Misuse	0	2
Check Welfare	12	115	Mental Subject	0	9	Theft	6	53
Conservor of Peace	3	18	Missing Person	0	10	Traffic Complaint	6	54
Destruction of Property	2	20	Neighborhood Dispute	1	5	Traffic Control	0	2
Death Investigation	0	2	Notification	0	1	Traffic Enforcement	3	16
Disorderly	6	91	Parking Complaint	1	56	Trespassing	4	66
Domestic	9	71	Patrol Check	112	1402	Unauthorized Use MV	0	0
Escort	0	0	Person with Weapon	0	1	Unknown Problem	0	3
Eviction	4	5	Police Information	7	88	Violation Protective Order	0	15
Fight	2	20	Protective/Peace Order	6	29	Warrant Service	3	19
Firearms Complaint	2	10	Prowler	0	0			
						Total Calls	271	3225

	Month	Year		Month	Year
DUI Arrest	3	12	CDS Arrest	2	15
Civil Marijuana Citations	1	24	Non Fatal Overdose	0	8
			Fatal Overdose	0	2

**** Notes ****

Deputies assigned to the Twin Beach Patrol handled 178 calls outside of the Twin Beach Patrol Area in this month.
 (These calls include off duty responses, calls handled to and from work, special events, overtime assignments, special unit assignments, calls while working a shift, etc. The Computer Data System has no way of classifying the on shift or off shift status of an officer when handling a call for service.)

October 2020 Calls for Service North Beach

Call Type	Month	Year	Call Type	Month	Year	Call Type	Month	Year
911 Hang Up	11	88	Fireworks Complaint	1	10	Relay	0	2
Abandoned Vehicle	0	5	Follow Up	4	45	Robbery	0	0
Accident	2	35	Found Property	3	7	Search Warrant	0	1
Alarm	2	26	Fraud	0	2	Sexual Assault	1	1
Animal Complaint	2	15	Harassment	0	8	Sex Offender Registry	0	0
Assault	2	8	Illegal Dumping	0	1	Special Assignment	0	13
Assist Motorist	4	16	Industrial Accident	0	0	Stalking	0	0
Assist Other Dept	1	15	Indecent Exposure	0	2	Stolen Vehicle	0	3
Assist Sick/Injured	3	15	Intoxicated Person	0	3	Summons Service	0	14
Attempt to Locate	4	35	Kidnapping/Abduction	1	1	Suspicious Person	3	24
BioChem/ Susp Package	1	1	Loitering	0	4	Suspicious Vehicle	3	24
Burglary	0	12	Lost Property	0	0	Tampering with MV	0	1
CDS Violation	0	9	Loud Party/ Music	3	22	Telephone Misuse	0	0
Check Welfare	8	69	Mental Subject	0	3	Theft	6	27
Conservor of Peace	0	5	Missing Person	0	0	Traffic Complaint	3	22
Destruction of Property	2	14	Neighborhood Dispute	0	1	Traffic Control	0	2
Death Investigation	0	1	Notification	0	2	Traffic Enforcement	0	7
Disorderly	4	49	Parking Complaint	2	24	Trespassing	2	18
Domestic	3	41	Patrol Check	64	584	Unauthorized Use MV	0	2
Escort	0	1	Person with Weapon	0	0	Unknown Problem	2	8
Eviction	2	3	Police Information	2	24	Violation Protective Order	1	11
Fight	1	9	Protective/Peace Order	2	6	Warrant Service	3	7
Firearms Complaint	1	1	Prowler	0	1			
Total Calls							159	1410

	Month	Year		Month	Year
DUI Arrest	1	4	CDS Arrest	0	5
Civil Marijuana Citations	1	13	Non Fatal Overdose	1	1
			Fatal Overdose	0	1

**** Notes ****

--	--	--	--	--	--

RESOLUTION R-20-5
A RESOLUTION OF THE TOWN COUNCIL OF CHESAPEAKE BEACH
TO HAVE THE MAYOR AND TOWN COUNCIL SWORN IN EITHER
VIRTUALLY OR IN PERSON

WHEREAS, as a result of COVID-19 and the associated Orders of health officials, the Town Council believes that it is in the best interest of the residents of Chesapeake Beach that the swearing in of the Mayor and Town Council to be held virtually; and

WHEREAS, the Mayor may be sworn in either virtually or in person by the Clerk of the Circuit Court as circumstances may warrant, and the Town Council, Town Treasurer, and Town Clerk shall be sworn in either virtually or in person by the Mayor; and

WHEREAS, this process is warranted as a result of the current health crisis; and

NOW THEREFORE BE IT RESOLVED, by the Town Council of Chesapeake Beach that the Mayor may be sworn in either virtually or in person by the Clerk of the Circuit Court as circumstances may warrant, and the Town Council, Town Treasurer, and Town Clerk shall be sworn in either virtually or in person by the Mayor.

Patrick J. Mahoney, Mayor

Valerie L. Beaudin, Councilwoman

Lawrence P. Jaworski

Derek J. Favret, Councilman

Gregory J. Morris

L. Charles Fink, Councilman

Keith L. Pardieck



October 2020 Town Stats,

Fire = 25

AFA = 8

Brush = 1

EMS = 3

Fires= 0

(Chimney, House, Barn, vehicle, ETC)

Hazmat = 0

Investigation = 3

MVA = 3

Helicopter Landing = 3

Service = 3

Water Rescue = 0

Fire Calls dispatched in the Town of CB = 16

Fire Calls dispatched in the Town of NB = 9

Fire Drills: Apparatus check off

Fundraising: None due to Covid-19



EMS = 95

Chest Pains = 5

Diabetic Emergency = 1

Fire Standby = 0

MVC = 3

Overdose = 5

Psychiatric Emerg. = 0

Trouble Breathing = 14

Seizures = 2

Stroke (CVA) = 0

Unconscious Subj. = 6

Choking = 1

EMS Calls dispatched in the Town of CB = 59

EMS Calls dispatched in the Town of NB = 36

EMS Drill: Medications

Sick person= 24

Suicide = 0

Gun Shot = 0

Med alarm = 1

OB=1

Assault = 3

Abdominal Pains= 1

Cardiac Arrest =2

Altered Mental Status =2

Allergic Reaction =5

Traumatic Injury = 19

Chesapeake Beach Oyster Cultivation Society Report

November, 2020

Chesapeake Beach Town Council Meeting

DNR planted a buoy on the Old Rock Reef in the fall of 2014.

The next year the buoy was lost in a storm.

Recently the buoy washed up on the rocks at North Beach.

Where it has been for 5 years is a mystery.

We recovered and refurbished he buoy.

It is not located at its new home at 8717 C Street.



See you if this virus ever gets over!